



Application note Milestone XProtect Corporate 2018R2

Issue: 1.0

01st February 2019

Copyright Notice

This document, unless otherwise stated, is the property of CNL Software Ltd. Copyright and other intellectual property laws protect this document. Reproduction or retransmission of the document, in whole or in part, in any manner, without the prior written consent of the copyright holder, is a violation of copyright law.

© Copyright of CNL Software Ltd.

Document History

The following table details the changes made to this document during its development.

| AUTHOR / UPDATER | DATE | ISSUE NUMBER | CHANGE REQUEST NO. | CHANGES MADE |
|---------------------|----------|-----------------|-----------------------|--------------|
| Thomas Soderlund | 01/02/19 | 0.1 | | Creation |
| | | | | |

Table of Contents

| | | |
|---|------------|---|
| 1 | Note | 5 |
|---|------------|---|

1 NOTE

This application note aim to describe the test setup and deliverables for Milestone Verification Process.

The attached CNL Milestone XProtect Corporate RDIN outline the Device Driver specification including performance data.

IPSC version used is 5.9.0.59845 for Client and Server

Milestone XProtect version used is 2018R2 12.2a

QA testing is recorded in our JIRA system. Current setup schematics is as below:




Figure 1 Milestone IPSC Schematics

Below screenshots show System configuration and User Interface:

[Title]

[Date]




Figure 2 System Configuration Interface




Figure 3 User Interface with Digital Zoom




Figure 4 Live and playback video