# **PERCEPT** Expand your senses.



# **Wearable IoT Solution.**

The IONODES PERCEPT body camera is more than just a wearable camera, it's a complete IoTconnected multi-sensor device. Extensive remote networking capabilities allow you to interact with the camera through 4G LTE and/or Wi-Fi networks. Onboard capabilities include world-leading 180° immersive video capture at up to 4K resolution, bidirectional audio, GNSS tracking, high-performance Qualcomm<sup>™</sup> processing and a true open-platform API for ease of integration into any management software solution.



## See more, see better.

Record critical video events in high resolution and never miss a detail through a Panomorph lens with 180° field of view. Panomorph lens technology offers exceptional level of detail from the center of the image to the edge, as opposed to traditional fisheye lenses.

Combined with market-leading hi-resolution video, H.265 / HEVC video compression and motion-based image stabilization the video quality is simply the best you can get from a mobile wearable device.





**Embedded QR Codes** – Every video frame includes watermarked metadata such as GNSS position, wearer ID and 9-axis motion information.



**Image Stabilization** – A 9-axis motion sensor captures real-time orientation and acceleration of the camera, allowing for accurate image stabilization.



**High Quality Video** – Panomorph lens technology provides a higher level of detail across the entire 180° field of view when compared to standard wide-angle or fisheye lenses.



# **Designed for real-time applications.**

| Live<br>Connectivity  | Always-on networking through 4G LTE or Wi-Fi allows for<br>live remote access to the camera for alert notifications, live<br>streaming and remote control.                  |
|-----------------------|---|
| Flexible<br>Recording | On-board recording functions allow for local recording to secure flash storage as well as automated upload to on-premise or cloud-based VMS solutions.                      |
| Location<br>Tracking  | Accurate GNSS positions can be captured, streamed and recorded, allowing for complete control over device location tracking functions.                                      |
| Task<br>Optimized     | Built tough, the camera is designed to operate in harsh<br>environments and power optimizations allow it to be used<br>during entire work shifts (+12H) without compromise. |



# INTEGRATIONS **Open Platform.**

Integrate your fleet of wearable IoT devices into your existing VMS solution, seamlessly.

The IONODES PERCEPT body camera is designed to be integrated into practically any software solution, on-premise or cloud through ONVIF, the global open standard for IP device integration. ONVIF Profiles G, S and T compatibility enables virtually limitless control over configuration, media streams, events, metadata and recorded content.

## Onvir®GST







## **Designed to be worn.**

Ergonomics takes center stage, ensuring user interactions are instinctive, and the position of each element is tuned to ensure optimal performance when worn.





## Klick Fast Mounting System

- Locks securely in place
- Undocking is fast and easy
- A dock for every application

# PERCEPT CARE

## Protecting your investment.

PERCEPTCARE is a complete maintenance package that includes software upgrades, extended hardware warranty and premium support.

### **Software Upgrades**

With access to all software upgrades, get peace of mind knowing your system will always be running the latest releases, securing the value of your investment. Benefit from new features, improved performance, enhanced usability, security updates and expanded 3<sup>rd</sup>-party integrations.

### **Extended Hardware Warranty**

PERCEPTCARE provides priority coverage for your PERCEPT Body Cameras, ensuring your systems are up and running when you need them. Benefit from a hardware warranty that lasts for as long as you need it, with access to priority device replacement.

### **Premium Support**

Stay focused on your operations knowing our team of experts is here to make sure you get the support you need, when you need it, to keep your solution running at its best. Benefit from priority phone support, named customer success manager and 3<sup>rd</sup> party integration support.



# Freedom of movement.

The PERCEPT Cloud Solution is a secure and reliable on-demand live video streaming and storage solution accessible from anywhere, anytime via web and mobile apps. Offering direct camera-to-cloud connectivity, the PERCEPT Cloud Solution is a complete camera management solution offering innovative features such as real-time location tracking, centralized camera software upgrades and remote access for camera control and configuration. Combined with the PERCEPT Body Camera's Wi-Fi and LTE connectivity options, the PERCEPT Cloud Solution can easily adapt to any deployment scenario.

# PERCEPT CLOUD



### **PERCEPT-DCK1** Single Port Smart Dock

Supports QuickCharge 3.0, up to 2A charging Dynamic auto-switching between charging and data upload Compatible with Onvif "Trickling" modes Auto MAC address bridging between Camera and Dock Gigabit Ethernet, allows for video offloading at up to 300Mbps







## Innovative solution for wide-ranging applications.



### **Solving Industry Challenges**

A growing number of private and public organizations are looking towards wearable cameras as a means to improve safety, enhance security, optimize business processes and provide transparency.

The inclusion of a live-accessible body camera in day-to-day operations can help solve operational challenges by providing realtime feedback and situational awareness. Typical applications include private security, public safety, manufacturing, logistics and transportation services.

### **Market Driven Design**

Designed as a ruggedized open platform device, the PERCEPT Body Camera boasts the durability, flexibility and performance needed to address the needs of a wide range of applications in a diverse set of markets.

The use of Qualcomm<sup>™</sup> technology, global leader in mobile processors headquartered in North America, ensures compliance to multiple worldwide government regulations restricting the use of foreign technology in specific markets and applications.

## **PERCEPT-BC100 Technical Specifications**

| Networking  | 3G / 4G LTE<br>(Dual-Sim Supported) | North America<br>LTE-FDD: B2/B4/B5/B7/B12 to B14/B17/<br>B25/B26/B66/B71<br>LTE-TDD: B41<br>WCDMA: B2/B4/B5<br>EMEA / LATAM<br>LTE-FDD: B1 to B5/B7/B8/B20/B28<br>LTE-TDD: B38/B39/B40/B41<br>WCDMA: B1/B2/B4/B5/B8<br>GSM/EDGE: 850/900/1800/1900MHz |
|-------------|-------------------------------------|---|
|             | Wi-Fi                               | 2.4G/5GHz, 802.11 a/b/g/n/ac  |
|             | Bluetooth                           | BT 4.2LE  |
| Camera      | Still Image                         | Image capture at up to 8.3MP (JPEG)   |
|             | Video                               | 4K (8.3MP) / 6MP / 4.2MP / 2.3MP / 1MP / 0.6MP at up<br>to 30 FPS; H.264 / H.265 HEVC compression   |
|             | Lens                                | Type: Panomorph, 180° Horiz. / Vert. Field of View<br>Focus range: 24 inch to infinity  |
|             | Watermarking                        | Data in picture includes date, time, GNSS position,<br>Wearer ID and 9-axis motion for ROI stabilization  |
| Audio       | Microphones                         | Dual microphones / left and right<br>AAC audio compression  |
|             | Speaker                             | Speaker output / 1.3W max. power  |
| USB         | USB Type-C                          | Supports Quick Charge 3.0 / max. 2A charge current<br>Data transfer via optional charging dock  |
| Sensors     | Motion Sensing                      | 9-axis, accelerometer, gyroscope and magnetometer   |
|             | Haptics                             | Vibration feedback on commands and alerts   |
| Indicators  | Status LED                          | Top facing and front facing RGB status LED  |
|             | OLED Display                        | 0.9 inch, top facing, 128 x 32 dot OLED display   |
| Positioning | Satellite Positioning               | GPS / BeiDou / GLONASS  |
| Storage     | Internal microSD                    | 64GB  |

| Recording                        | Post Event        | Configurable, up to 300 sec. post  |
|----------------------------------|-------------------|--|
|                                  | Туреѕ             | On-Alarm and on-demand   |
| Auxiliary                        | Flashlight        | 1 Watt front facing white LED light  |
| Battery Pack<br>(Li-Po)          | Capacity          | 6,000 mAh  |
|                                  | Operating Time    | Up to 16 hours depending on configuration  |
|                                  | Charging Time     | <= 4 hours   |
| Integration                      | Supported API's   | ONVIF Profile G, S and T<br>IONODES ION API (HTTP-based RESTFul API)   |
| Compliance and<br>Certifications | EMC / ESD         | FCC part 15 subpart B, ICES 003 Class B, EN 55032<br>Class B, EN 55035, EN 61000-6-1, EN 61000-6-2, EN<br>301489-1, EN 301489-17 |
|                                  | Safety            | EN 62368-1, NOM (Mexico)   |
|                                  | Environmental     | Shock, water and dust resistant  |
|                                  | Operating. Temp.  | -20C to 50C (-4F to 122F)<br>When charging: 5C to 35C (41F to 95F)   |
|                                  | Storage Temp.     | -20C to 45C (-4F to 113F) for less than 30 days<br>-20C to 35C (-4F to 95F) for longer than 30 days                              |
| Mechanical                       | Dimensions        | 95mm x 65mm x 35mm   |
|                                  | Weight            | 155g (including 6,000 mAh battery)   |
| Accessories                      | Standard          | Klick Fast belt clip, USB-C cable  |
|                                  | Optional          | Klick Fast mounting accessories  |
|                                  | Power adapter     | Not included. Use provided USB-C cable to connect to a Quick Charge 3.0 USB charger or use a PERCEPT docking station.            |
| Warranty                         | Standard Warranty | 2 Years  |



### CONTACT US Montreal, Canada

### EMAIL

#### PHONE

sales@ionodes.com

<u>Head Office (Canada)</u> 1-450-696-1060 1-844-696-1060 (Toll Free) <u>EMEA Office (Luxembourg)</u> +33 (0) 6 03 13 79 75

#### WEBSITE

www.ionodes.com



IONODES is focused on pushing the boundaries of video technology, developing the latest in IoT and wearable video solutions. Our experience in IP video and our strong partnership with industry leaders allow us to deliver innovative products designed to enhance people's lifestyle while ensuring their safety and security.