



# NVR Hardware Platform with Scalable Software



The Milestone Husky<sup>™</sup> M500/M550 Advanced NVR's go beyond the ordinary all-in-one network video recorders (NVRs). Designed in a 2U rack form factor, they are purpose built high-performance surveillance recording hardware platforms. The M500A has a guaranteed support of 600Mb/s recording rate. The M550A has a guaranteed support of 1400Mb/s recording rate. Preloaded with Milestone XProtect Advanced VMS software, the units combine comprehensive video surveillance functions and high performance, with low total cost of ownership. This makes them the most versatile and capable recording platforms available with Milestone XProtect software.

## **Key Features**

## Easy system design - fast deployment

- Simplified product sku's
- Easy to calculate system requirements using the Husky Calculator
- Pre-installed with Windows 10 Operating System, Milestone XProtect Expert and XProtect Corporate
- Pre-licensed with XProtect Expert base software
- Quick setup with the Husky Assistant

## **High performance NVR Hardware Platform**

- Milestone exclusive designed and built hardware platform
- Performance guaranteed of 600 Mb/s or 1400Mb/s recording rate
- RAID Controller optimized for streaming applications and supporting RAID 5/6/10/50
- Western Digital Purple Drives optimized for Surveillance NVRs

## Expanded Performance (M550A Only)

- 10Gbe LAN + Storage HBA using the Intel Converged Network Adapter X550T2
- Hot swappable, Dual Power Supply (n+1)

## Scalable software

- Flexible licensing of either XProtect Expert or XProtect Corporate software
- Hardware optimized advanced VMS functions
- Full system NVR redundancy with hot or cold failover recording servers
- Real-time device load optimization with hardware move functionality
- Extend video storage with archiving to 3<sup>rd</sup> party NAS storage units

## Lowest NVR total cost of ownership

- Industry leading price-performance ratio
- Lower support costs with Milestone customer dashboard provides proactive system monitoring tools and backup recovery image
- Software license portability lowers license administration and management costs.
- Free upgrades to current Milestone XProtect Software
- Includes a 3 years hardware warranty and Milestone Care<sup>™</sup> Plus for investment protection

## About Milestone Systems



**Product Specification Sheets** 



# Solution versatility

Milestone Husky M500A / M550A are versatile NVR's which can be applied in a variety of system configurations. Traditionally NVR's are deployed as a stand-alone all-in-one NVR installations but the Milestone Husky M500A / M550A Advanced NVR's can be deployed in many other ways. They can replace expensive IT servers for large scale multi-NVRs environments which require the use of external storage archives. Unlike typical NVR's the M500A / M550A be used in high-availability complex solutions or globally operations with centralized management.

## When building distributed surveillance installations, Husky M500A / M550A Advanced

NVR's are pre-installed with Milestone XProtect Expert and Corporate. The industries #1 VMS is also the industry's most scalable software. Using Milestone's Advanced VMS products you can operate the Husky M500A or M550A as a dedicated primary or failover recording server, as management server, or ONVIF gateway. They can be used as an edge recording systems in remote locations which are connected to a centralized surveillance site using Milestone Federated Architecture or Milestone Interconnect. The possibilities are endless when you use Milestone XProtect products.

Milestone clients:




- Metadata analytic support
- Hardware Accelerated Video Decoding
- Compatible with thousands of cameras
- Supports XProtect add-ons XProtect<sup>®</sup> addons (e.g. XProtect® LPR and XProtect® Access), Milestone ONVIF Bridge

## About Milestone Systems





# M500A Dimmensions




\*\*)IMPORTANT: Local viewing should be using Hardware Accelerated Smart Client and may lower overall number of cameras being recorded.

### **About Milestone Systems**





# M550A Dimmensions



\*\*) IMPORTANT: Local viewing should be using Hardware Accelerated Smart Client and may lower overall number of cam recorded.

### About Milestone Systems



**Product Specification Sheets** 



# Specifications

	Specifica	tion			M500A			M550A	
		LION							
	CPU			Intel i7 3610 QE			Intel i7 3610 QE		
	Processor Base Frequency			2.3 GHz			2.3 GHz		
	Passmark Intel Smart Cache			7463			7463 6 MB		
E	Instruction Set			6 MB 64-bit			64-bit		
System	Number of Cores			4			4		
Š	Number of Threads			8			8		
	PCI Express Revisions Configuration			2.0 1x16				3.0 2x8	
Compute	Intel Quick Sync Video			2.	Yes	1/110		Yes	
E	Intel Turbo Boost Technology			Yes				Yes	
ŭ	Intel Hyper-Threading			Yes				Yes	
	RAM			16GB				16GB	
	Operating System			Windows 10				Windows 10	
	OS Storage			128GB mSata SSD				128GB mSata SSD	
	Number of Ethernet Ports			2				4	
E	Port Speed			100BASE-T, 1000BASE-T			100BASE-T,	1000BASE-T, NBASE-T, 10GBASE-T	
System	Cable Type			CAT 5e, CAT6				CAT 5e, CAT6, CAT6A	
ŝ	Dual IP Addressable			Yes				Yes	
X	IPv4 Support IPv6 Support			Yes Yes			١	Yes Yes	
Network	Teaming Support				Yes			Yes	
let	Camera Multicast Support				Yes		Yes		
	Smart Client Multicast Support				Yes		Yes		
	NVR Class				Up to 512 Cameras			Up to 768 Cameras	
	Video Management System pre	e-installed		Milestone	XProtect Expert or	XProtect	Milesto	ne XProtect Expert or XProtect	
					Corporate			Corporate	
	Management Server Database				L Server 2014 Exp		Microsoft SQL Server 2014 Express Edition		
ец	Base License included			XProtect Expert 2016, pre-licensed			XProtect Expert 2016, pre-licensed		
System	VMS License Portability Recording Server			Yes Yes			Yes		
	Failover Server			Yes, Hot or Cold Standby			Yes, Hot or Cold Standby		
Management	Management Server			Yes			Yes		
E	All In One VMS			Yes			Yes		
g	Codec Support			H.264, MJPEG, MPEG4, MxPEG			H.264, MJPEG, MPEG4, MxPEG		
an	Audio Support			Yes, Two-Way			Yes, Two-Way		
Σ	Remote Viewing and Playback			Yes			Yes		
Video	Care Plus			3 Years included			3 Years included		
- Xi	Hardware accelerated video de	coding Sma	rt Client	Yes			Yes		
	Software Trade-in			Yes 100% w/ Care Plus			Yes 100% w/ Care Plus		
	Software Upgrades			Yes w/ Care Plus				Yes w/ Care Plus	
	Recovery Image			Yes			Yes		
	VMS Install Wizard			Yes, Husky Assistant			Yes, Husky Assistant		
	Max Recording Rate			600Mb/s			1400 Mb/s		
	RAID Controller			MegaRAID <sup>®</sup> SAS/SATA 9260-8i			MegaRAID <sup>®</sup> SAS/SATA 9260-8i 8		
	Number of Ports			8 6Ch/s par part			o 6Gb/s per port		
	Data Transfer Rates			6Gb/s per port 5/6			5/6		
	RAID Levels RAID Spans			10/50			10/50		
	Hot Plug in Play Disk Drives			Yes			Yes		
	Hot Spare			Yes			Yes		
۶	Sector Size			64KB			64KB		
System	Number of Drives			8			8		
Sys	Drive Type			Western Digital Purple Drives			Western Digital Purple Drives		
0) 0)	Drive Sizes			1TB/ 2TB / 4TB / 6TB / 8TB			1TB/ 2TB / 4TB / 6TB / 8TB		
ag	Raw Maximum Storage			8TB / 16TB/ 32TB/ 48TB / 64TB			8TB / 16TB/ 32TB/ 48TB / 64TB		
Storag	Drive Interface			SATA 6 Gb/s			SATA 6 Gb/s		
0	Volume Block Size			64KB			64KB		
	Drive RPM Speed			5400			5400		
	Drive Data Transfer Rate (Host to/from drive sustained) / Per Drive			110 MB/s - 178 MB/s			110 MB/s - 178 MB/s		
	(Host to/from drive sustained) / Per Drive Drive Cache (MB)						64 - 128		
				64 - 128			Ves, iSCSI or FCoE, both		
	External LiveDB Storage	ternal LiveDB Storage NAS SAN No		No	Yes, iSCSI, software based		No	hardware based	
	External ArchiveDB Stars	NAC	CAN	Vcc	iSCSI, software based		Vee	Yes, iSCSI or FCoE, both	
	External ArchiveDB Storage	NAS	SAN	Yes	ISCSI, SOFTWA	ne based	Yes	hardware based	

#### **About Milestone Systems**





# Specifications, Cont

	Specification	M500A	M550A	
Svstem	Power Input	100~240V, 50/60 Hz, 200W	TBD	
Power Svs	Typical Power Consumption	90-120 watts/hr (configuration dependent)	TBD	
	Maximum Watts	300W	400W	
ntal	MTBF (Mean Time Between Failures)	TBD	100,000 Hours	
ronme	Protections	TBD	OVP (over voltage), OCP (over current) , OTP (over temp) , SCP (short circuit)	
Envi	Hot Swappable PSU	No	Yes	
ries	Power Cables	Yes, type dependent on region	Yes, type dependent on region	
0550	Keyboard and Mouse	In selected regions only	In selected regions only	
Acce	Connectors	1x DVI to VGA converter	1x DVI to VGA converter	
t	Regulatory Compliance – Partial Listing	CE (class A), WEEE, FCC (class A), RCM, UL, VCCI, Mexico(CoC), South Africa(CoC)	CE (class A), WEEE, FCC (class A), RCM, UL, VCCI, Mexico(CoC), South Africa(CoC)	

# Ordering Information

SKU	Description	SKU	Description
M500A-XPET-8TB	Husky M500A XProtect Expert NVR, 8TB, RAID	HM550A-XPET-8TB	Husky M550A XProtect Expert NVR, 8TB, RAID
	5/10, Rack Mounted, 0 devices Licenses		5/10, Rack Mounted, 0 devices Licenses
HM500A-XPET-16TB	Husky M500A XProtect Expert NVR, 16TB, RAID	HM550A-XPET-16TB	Husky M550A XProtect Expert NVR, 16TB, RAID
	5/10, Rack Mounted, 0 devices Licenses		5/10, Rack Mounted, 0 devices Licenses
HM500A-XPET-32TB	Husky M500A XProtect Expert NVR, 32TB, RAID	HM550A-XPET-32TB	Husky M550A XProtect Expert NVR, 32TB, RAID
	5/10, Rack Mounted, 0 devices Licenses		5/10, Rack Mounted, 0 devices Licenses
HM500A-XPET-48TB	Husky M500A XProtect Expert NVR, 48TB, RAID	HM550A-XPET-48TB	Husky M550A XProtect Expert NVR, 48TB, RAID
	5/10, Rack Mounted, 0 devices Licenses		5/10, Rack Mounted, 0 devices Licenses
HM500A-XPET-64TB	Husky M500A XProtect Expert NVR, 64TB, RAID	HM550A-XPET-64TB	Husky M550A XProtect Expert NVR, 64TB, RAID
	5/10, Rack Mounted, 0 devices Licenses		5/10, Rack Mounted, 0 devices Licenses
HM500A-XPETDL	Husky M500A/M550A XProtect Expert NVR	HM500A-XPETDL	Husky M500A/M550A XProtect Expert NVR Devic
	Device License, including 3 years Care Plus		License, including 3 years Care Plus
UHM500A-XPETBL	Trade-in Husky M500A/M550A XProtect Expert	UHM500A-XPETBL	Trade-in Husky M500A/M550A XProtect Expert
	NVR Base License credit with Care Plus		NVR Base License credit with Care Plus
XPCOBT	XProtect Corporate Base License	XPCOBT	XProtect Corporate Base License
XPCODL	XProtect Corporate Device License	XPCODL	XProtect Corporate Device License

Milestone Husky M500A/M550Aincludes 3 years Milestone Care Plus coverage for XProtect Expert.

Milestone also offers optional Care Premium technical support services for Husky M500A/M550A.

Milestone Systems HQ, DK: Tel: +45 88 300 300 Milestone Systems US : Tel: +1 503 350 1100 Milestone Systems Canada: Tel: +1 503 350 1132

Milestone Systems has 20 offices worldwide and is distributed in more than 100 countries. For more information on how to contact us and to get purchase information, please visit our website milestonesys.com.

General inquiries: <u>info@milestonesys.com</u> Sales inquiries: <u>sales@milestonesys.com</u>

#### **About Milestone Systems**